

A Mobile Mashup for Accessing Distributed Recycling Knowledge

Sönke Knoch

German Research Center for Artificial Intelligence
Research Department Intelligent User Interfaces
Saarbrücken, Germany
Soenke.Knoch@dfki.de

Alexander Kröner

Georg Simon Ohm University of Applied Sciences
Department of Computer Science
Nuremberg, Germany
Alexander.Kroener@th-nuernberg.de

Abstract—From the consumer perspective, classifying a product regarding its environmental impact is a difficult task because relevant knowledge is usually not only diverse, but also distributed over several information sources. In this work, an analysis of mobile "green" applications formed the basis of a mobile application, which aims at providing all recycling-related information in-situ. Its domain model integrates recycling knowledge from several information sources and is capable of disassembling a product into its elementary parts. An information extraction approach allows the automatic integration of relevant content from new Web sources, which were suggested by the user. The mobile application enables the user to initiate interaction with this model over three different ways of describing a product. Beside insights concerning information access and user interaction, a first evaluation of the prototype indicates that the employed fused domain model may outperform results achieved with a traditional approach to web-based information search concerning recycling information. Based on the outcomes of the evaluation, a revised user interface is presented.

Keywords—Sustainability, decision support, domain model, mobile mashup, mobile computing, case study.

I. INTRODUCTION

Limitation of natural resources affects everyday decision making in diverse ways: indirectly through increasing costs for products, e.g., based on oil, or directly due rationale insight and ecological awareness. Unfortunately, such *sustainable decision making* is a non-trivial task for various reasons. For instance, a product has to be chosen that is "easy" to recycle. From the viewpoint of sustainability, recycling is affected by materials the product is consisting of, the recycling process for disassemble the product, the extent such disassembly is possible, and even the (potentially future) context that determines efforts needed to insert the product into the recycling process.

In order to make an informed decision, a human decision maker has to acquire all of that knowledge—and to fuse it. Information technology may support the user in this task in various ways (cf. [1]). This is reflected by related research and development activities ranging from integrating sustainability-related information along the supply chain (e.g., [2]) to community-driven information hubs for recycling tips (see e.g., [3]).

This complexity partially explains why expert advice in-situ may increase people's will to do such decisions [4]. Information has to become more available [5], and be explained

to the user [6]. Thus, it is little surprising that there exists a considerable amount of "green" mobile applications, which seek to support their user in-situ in solving tasks related to sustainability.

This article extends previous work (see [1]) concerning a mobile application and a linked information service, which aim at supporting decisions concerning consumable products based on recycling-related information.

The following Section II reviews typical characteristics of such mobile applications. Then, Section III reports on a data mashup, which fuses different kinds of recycling-related knowledge from distributed sources in a single domain model. Section IV describes a mobile information service, which employs that domain model in order to combine services of various previously reviewed applications. Section IV summarizes the underlying system architecture, and provides further details concerning back end and mobile application. Afterwards, Section V summarizes feedback obtained in a comparative experiment, in which participants acquired recycling-related information with the new service as well with traditional information offers. That feedback affected the redesign of the system's user interface, which is presented in Section VI. Finally, the article closes in Section VII with a summary of achieved results and an outlook on future work.

II. RELATED WORK

In 2011, a preparatory internal study addressed the state-of-the-art of mobile applications supporting sustainable decision making. The survey comprised mobile applications offered at the Android Market and the Apple App Store. Search terms were "energy consumption", "energy efficiency", and "green life" and led to a result of 23 relevant mobile applications in the Android Market and 25 mobile applications in the Apple App Store. The result was sorted into four categories *promotion*, *education and information*, *calculators*, and *monitoring and controlling*. Figure 1 shows the amount of matches for each category in the respective marketplace. The detailed result for each category is described in the following:

Promotion (4 mobile applications). Mobile applications in this category, typically, promote energy saving technologies, such as solar energy systems, low-energy devices of certain product classes (e.g., fridges, air conditioning systems, etc.),

or energy saving techniques (e.g., monitoring tools and programmable thermostats). For example, the mobile application Lennox [7] calculates the energy savings achievable by a new air conditioning system, provides product information and directs the user to the next local dealer.

Education and Information (20 mobile applications). References, encyclopedia, decision support systems, and games form a category on its own. The majority of such mobile applications provide information in form of references, tips, or links and news collections. For example, the mobile application "this is green" [8] offers information that is thematically organized by a picture of a layout of a common one family house. If the user tabs on the garage he will find information on fuel consumption of the car, if he tabs on the bathroom information on how to save water is provided. The application "low carbon life" [9] is a collection of little games that tries to teach the user, e.g., how to use the washing machine in an efficient way and how to recycle trash that occurs in a common household.

Calculators (9 mobile applications). Other mobile applications support the user in calculating balances concerning sustainability-related factors. They can be distinguished in mobile applications meant for the private and for the business domain. The former ones focus on an individual's habits and objects, e.g., flights and TV. The latter ones focus on business branches such as architecture or lamp industry. In general, the user has to enter data manually into the respective mobile application, which is a major difference to mobile applications classified as "monitoring and controlling". For example, the "green footprint calculator" [10] is filled manually with data such as monthly bills (oil, gas, and electricity), number of flights, and recycling behavior. Once filled with this data, the mobile application calculates the yearly carbon footprint and visualizes it with a maximum of six green trees if the carbon footprint is very good/small. The application "MeterRead" [11] captures energy consumption. The number of kilo watts is synchronized manually with the electrical meter over a graphical meter that looks similar to the one that can be found in households. After data gathering, the mobile application provides a prediction for the consumption over the next 30 days.

Monitoring and Controlling (15 mobile applications). Finally, there are mobile applications, which connect to energy consuming devices in the private and the business domain. In the private domain, they focus on devices common for an individual's environment, e.g., house, car, and mobile phone. In the business domain, such mobile applications focus on branches, e.g., IT, manufacturing industry, and facility management. For example in the private domain, the "power tutor" [12] analyzes system and power usage of the mobile device and provides chart views, e.g., for the consumption of the LCD, CPU, and Wi-Fi. The "green gas saver 1.0" [13] shows the greenest way of acceleration in a car. A lot of mobile applications visualize energy consumption (electricity, oil, and gas) and provide remote control features (e.g., switch on/off, timer configuration, etc.). Alarms are set off when consumption exceeds a defined threshold. One example from the business domain is "GSH ienergy" [14]. "DONG Energy eFlex" [15] controls home environments in the private domain. Community features are included in some mobile applications, where the




Figure 1. Related Mobile Applications.

user's green performance can be compared to the performance of the user's friends.

General observations included that mobile applications for sustainable decision making were either highly specialized (focus on product advertisement or industrial applications) or generalized (dictionaries, household / lifestyle consulting). Furthermore, the reviewed applications rely on data from a single information source, which does not reflect diverse and distributed character of such information mentioned in the beginning. Finally, despite the mobile platform, there was little use of the mobile sensing capabilities.

In May 2014, both marketplaces were revisited in order to extract changes in categories identified in the previous study. In both cases, the top 10 applications returned in response to the query ("recycling") were briefly reviewed. In 2011, the same query led to irrelevant results, e.g., desktop recycling bins. Compared to the search in 2011, an higher amount of "green" recycling applications (60-70%) was registered in 2014. Of the overall 20 applications, about 30% now provide location-based recycling recommendations for products that are scanned via barcode. For instance, "RecyclingScanner" recommends a trash can in the vicinity or a supermarket for a given product. The application, developed for the German market, was tested and delivered good results. Also of interest and different to the previous study, there were now applications (10%) offering recommendations about creative ways of recycling. Finally, new game applications aim at informing and teaching people the proper way of recycling certain packaging. Nevertheless, these solutions share the narrow application focus observed in the 2011 study. This suggests that the mashup concept proposed in this article is still relevant and can provide a benefit for both user and environment.

This article reports on how these still existing gaps could be addressed for a specific application scenario: an "Eco-Advisor" should support consumers in ranking products according to their environmental impact, and in making informed decisions concerning recycling options regarding a product at hand using information from distributed recycling knowledge.

III. FUSION OF RECYCLING KNOWLEDGE

According to the previously introduced classification of related work, the Eco-Advisor could be categorized in the first place as an *information and education* service, which includes aspects of a *calculator*. While the service as such could be employed also for user support in non-mobile scenarios, its particular focus is on decision support concerning a product "at hand".

Therefore, the service has to support the user in establishing a link between the subject of interest—a physical product instance—and relevant information concerning this individual artifact. This information may originate from distributed sources, and may differ in format and semantics. It may describe aspects of the artifact, this kind of artifacts, resources used for creating the artifact, and related services. Efforts needed in performing this task strongly depend on the way data are organized and structured by the service—its domain model.

A. Requirements

As the mobile application is meant to provide information for products, its domain model has to be capable to represent a product's most important properties. The model is kept as generic as possible because it is a storage for all kinds of data, structured and unstructured.

A product is defined in an economic sense as the result of a transformation that was initiated by humans. This transformation consumes scarce resources, such as materials and energy. In this article, we will focus on physical products and exclude virtual products, such as information or services.

The information about a product, its components, and resources that is necessary to provide decision support before or after product usage is distributed and hard to find. This challenge lead to three core requirements for the model, which are explained in the following:

- **Requirement 1:** The domain model has to carry information in form of various data patterns from distributed sources on an abstract and a concrete level and is open for extensions.
- **Requirement 2:** The domain model has to enable a disassembly of products in terms of kind and amount of materials included in the product's (current) physical form.
- **Requirement 3:** The domain model has to support the interaction implemented by the mobile application.

Requirement 1 asks for a domain model, which supports the mapping of a product at hand to recycling-related information. As recycling information is not provided by all manufacturers, such information can be found on the abstract level in the absence of manufacture specific information. If product specific information is available, it is stored on the instance level. Additionally, the model has to ensure a degree of extensibility that allows an adaption for specific needs. The last criterion is related to the open/close design principle from object-oriented programming. To integrate data from distributed sources, the model has to be able to carry data in heterogeneous patterns, and to make information available in a unified format.




Figure 2. Ontology representation of the product structure.

Requirement 2 demands a domain model able to reveal product's components and materials down to an elementary resource level. For example, a beverage can consist of aluminum, which is a chemical element in the boron group with the symbol Al, the third most common element, and most abundant metal in the Earth's crust. Such information can be employed by the service in order to perform calculations involving a product's durability, kind of resources used, and recycling potential. Thus, while a resource used within a product may be scarce, this may be less crucial if the resource can be extracted with limited efforts during recycling for later reuse.

Requirement 3 demands that the domain model supports the particular kind of user-product-service interaction that forms the background of the envisioned kind of support. The quality of recommendations expressed by the service strongly depends on knowledge about the product the user is interested in. Ideally, this object is at hand and capable to describe itself, e.g., on the basis of data linked by identification (RFID) referenced as ISO 14443 or Quick Response (QR) Code referenced as ISO 18004 describing the individual product instance. However, other situations may require the user to describe the product with less precise means. In order to support the user in this task, the system's user interface provides diverse ways of describing products. The domain model has to reflect this diversity with an organization, which facilitates information retrieval starting from unique identifiers, visual features, keywords and product categories.

B. Domain Model

The assembly information on a product was modeled in the Ontology Web Language (OWL) [16]. In the model shown in Figure 2, a product is an instance of a sub class of recycling objects, which consist of one or multiple substances of a certain type.




Figure 3. Entity Relationship Model (ERM) of the domain model (most relations and attributes are faded out).

According to *Requirement 1*, the final domain model is open for extensions; it was developed as an onion layered architecture. In the innermost layer lies the core, most abstract model, which is the nucleus of the model that is visualized in Figure 3, the "abstract object world". Objects consist of different Materials, the bill of materials, and have thereby a certain composition (*Requirement 2*). This kind of product assembly is discussed for electromechanical products by Rachuri et al. [17], an extension of the Core Product Model 2 (cf. Fenves et al. [18]) that covers a product's function, form, and behavior. The entities in the next layer, the "concrete product world", form the world of products and contain all entities from the object world. Objects are manufactured differently by different companies under different Brands. The combination of the entities Brand, Object, and Material forms a Product. These two worlds, the object and the product world, represented by the two innermost layers can be transferred on numerous use cases where product data is involved. Two kinds of products are allowed: products with a structure of certain materials and products that provide a structure under a certain brand. All products can contain sub-modules. This hierarchical modeling approach, indicated by the part-of relation, allows the subordination of sub-products, which are produced under a different brand by a certain supplier. A similar classification hierarchy was provided by Pels [19], which distinguishes between product instances, classes, and types to reduce the complexity of product models. In a similar way substances, contained in a material are modeled, which allows the disassembly of a product in its most atomic elements. In the outermost layer, the most specific one ("specific recycling world"), the entities for the use case at hand are modeled and set in relation to the entities in the other layers. The entity Tip contains creative recycling tips, the transformation of old objects into something new, for Products, Objects, and Materials. Location contains recycling points where Products, Objects, and Materials can be recycled. The specific (recycling) world is open for more extensions to extend the Object and Product worlds according to specific needs. The decision for an onion layered design of the domain model supports extension of the model: it is possible to add layers for specializing the model and to remove layers for generalizing the model. A similar way of abstraction was provided by Lee et al. [20], which proposed a generic and

independent multilevel product model that is divided into data, model, and metamodel level.

To support the interaction (*Requirement 3*), textual definitions from WordNet [21] are used to identify the entities Object, Material, and Brand that are denoted as things following the notion "Internet of Things". This kind of identification allows text searches on the IDs and users to find the Object, Brand, or Material of interest. The relation among those three entities allows the presentation of related Materials and Brands when an Object is searched, the presentation of related Brands and Objects when a Material is searched, and the presentation of related Objects and Materials when a Brand is searched. Related products from the overlapping of all three entities can be presented. Additionally to the concept of definitions, word forms—a set of synonyms—are assigned to Objects, Materials, and Brands, respectively. These synonyms support a query expansion mechanism that guarantees search results for a set of valid search terms. For example, "Al" leads to the same result as "aluminum", "aluminium", or "atomic number 13". Recycling Tips are assigned to Objects and Materials. A product taxonomy is used to categorize Products, which allows a search for products by category. Products have additional attributes that are amount and unit. This allows for storing information on the quantity of materials, which are obstructed in one object. Locations own the additional fields latitude and longitude to store the GPS position.

IV. ACCESS TO RECYCLING KNOWLEDGE

The system is divided in two parts: the mobile application that makes information available to the user and the back end that provides an interface to the Web and pre-processes data for fast information access. Overall, the system implements a *mashup* [22] of tools and resources in order to realize one particular service. The client forms a *mobile mashup* because it combines contextual information provided by mobile devices with a mashup's capability to integrate web resources and process data (cf. [23], [24]). The back end alone is denoted as a *data mashup*. An overview of related work in the area of mobile mashups is provided in previous work (cf. [25]).

Figure 4 provides an overview of the system's main components: The data mashup on the *back end* side, its *information extraction* component, and the *mobile application*.

A. Back End

The data mashup combines the contents of multiple heterogeneous and distributed *Information Sources* that can be seen on top of Figure 4. It integrates these sources in one database in order to speed up query processing. Responsible for this integration is the *Information Integration* component. The latter one is responsible for processing semi-structured data obtained from *Information Extraction* components, which wrap the actual *Information Sources*. The *Information Integration* stores its result in the *Domain Model* database and translates the *Information Management's* requests into database queries. The *Domain Model* database contains the ontology model depicted in Figure 2 that was transferred to a relational database according to the ERM in Figure 3 for performance reasons. In the database, per default, each entry consists of the 4-tuple $\langle ID, Name, Description, Image \rangle$. The *ID* is




Figure 4. Components of the system architecture.

a unique identifier, *Name* represents the designation of the data entry, and *Description* contains a long text that helps to characterize the thing. An *Image* visualizes the entity and can be stored in form of a file path. Each entity is expandable by additional attributes that might be appended to the 4-tuple. Additional attributes concerning an entity may be appended to the tuple. For instance, GPS coordinates are added to the location entity.

The *Query Expansion* tool is used to increase the hit rate of search terms received from the *Client* side. These client requests are handled by the *Information Management* that receives HTTP requests over a REST interface. To process image data, an *Image Recognition* component is connected and delivers describing strings via Web hook (cf. Figure 6), as the *Information Integration* component processes only textual data.

The *Query Expansion* tool expands search terms from all three ways of interaction (search by text, search by category, and search by image) by synonyms from the WordNet [21] dictionary to match additional entries in the database. The *Image Recognition* component was realized by using the IQEngines API, which delivered acceptable results (in most cases the labels and not the things are recognized) that can be improved by training the image recognition algorithm. Since IQEngines was acquired by Yahoo! in 2013, its service is no longer available. Instead, we will use the visual search engine Macroglossa [26].

The system’s modular architecture seeks to support adding and removing *Information Sources* as well as exchanging back end components. Technical details concerning the integration and adaptation of information in this framework (e.g., the way how recycling tips from World.org [3] are fused with other




Figure 5. Extracting information from user defined Web sources.

recycling information) have been subject of previous work (see [25]).

B. Information Extraction

In the first prototype, the information source was made available by a wrapper module. The source-specific wrapper parsed the content of the respective Web page, structured the information, and delivered the data to the domain model to receive a program-friendly structure. JAXB was used to make the data from the database available at the REST interface. It autogenerates class representations of the database entities and of the corresponding schema files. The Information Management component used this meta information to generate XML structured data and delivered it to the mobile device.

After the first version was realized and the case study that is described in Section V was conducted, it was recognized that it would be useful to have a feature that allows the user to

add and share new information sources by simply providing the URL. In order to achieve this goal, an approach to information extraction without specific wrappers needs to be added to the aforementioned *Information Extraction* (IE) component. In the following, a concept for the realization of such an IE mechanism that represents work in progress is suggested.

The process of IE is outlined in Figure 5 and was in parts inspired by the system suggested by Germesin and Romanelli [27]. The task of the process is the extraction of relevant information and the transformation of semi-structured into structured information that can be added to the database and is merged with existing content. On top of the process, the *Information Source* is defined by an URL that points to semi-structured information usually encoded in HTML. Then, the preparation phase that contains the process steps *Clean Up*, *Content Analysis*, and *NLP* (Natural Language Processing) starts. During the *Clean Up* phase the main textual content of the Web page is extracted and surplus "clutter" is removed.

For the realization, it is planned to use the Readability API or the boilerpipe JAVA library. The *Content Analysis* process determines the document type, in most cases HTML, and extracts the textual content and metadata. Additionally, the language of the document is identified. It is planned to use Apache Tika for this task. Afterwards, it has to be distinguished between structured information, such as HTML tables and unstructured information, such as free text. Structured information is directly passed to the *Text Mining* process while free text is parsed by the *NLP* process. We plan to use the Stanford Parser for this task, which works out the grammatical structure of sentences that is used in the *Text Mining* process. Finally, the data preparation phase is finished and the *Text Mining* starts. It uses the knowledge of the Domain Ontology whose concepts were shown in Figure 2. The ontology describes the content that is relevant for the IE process and provides the domain knowledge that is compared to the *Information Source*.

The existing *Query Expansion* component is used to provide synonyms for the entities in the ontology. These synonyms are added to search patterns that are formulated based on the ontology containing the materials, products, and brands of interest. It is planned to use Apache Lucene to solve the search task. The grammatical structures from the *NLP* process help to discover relations between multiple search terms. For instance, the sentence "A cola can has a carbon footprint of 170g" sets the pattern "cola can" and "carbon footprint" into relation to each other. The low distance of both patterns indicates a match. When such a relation is discovered, it is passed over to the *Information Integration* component, which stores it in the *Domain Model* database. Multiple relations for the same entities can be stored. The source of the information is added to the tuple to be able to provide the origin of the information on the user interface.

C. Mobile Application

The mobile mashup was realized as a mobile application that presents the contents provided by the data mashup that is encapsulated by the back end and adds additional information from the *Location-based Service*. It provides the user interface components with an interface for data search and retrieval that provides abstraction from the underlying actual data sources.




Figure 6. Client-server communication.

The mobile application runs on a mobile device with Internet connection. It communicates via a REST interface with the back end, which is implemented as a Web service. The user interacts with the mobile device and things—in our scenario for the experiment an aluminum can, a plastic or a glass bottle. Three ways of interaction were realized, search by text, search by category, and search by image. A navigation tree containing screen shots from the mobile application is presented in Figure 7 and shows the search result for an aluminum can manufactured by a certain brand.

When the user starts the application he sees the home screen that is labeled with A. The three buttons trigger the three interaction methods. *Search by text* leads to screen B, which provides a text field and a search button. A drop down list shows a list of recent search terms. *Search by image* starts the camera application of the phone and allows the user to take a picture from an object or to choose a picture from the phone's file system. Once an image is selected, it is sent to the back end. The back end resizes the image and forwards it to the associated image recognition API that is invisible to the user, and waits for a response (Web hook). When the response is arrived it is immediately passed over to the mobile device. The whole process is outlined in Figure 6. The processing time strongly depends on quality of image and Internet connection (in our setup 2-5 seconds). For a given object, search by text and search by image may result in a broad range of search terms, since users may follow different approaches to describing or photographing objects. The search result is visualized on screen E and shows a definition of the object in the headline. If multiple definitions are matching the query the user has to choose a definition from a list of definitions that the system considers as relevant. The object's composition is viewed in four categories on screen E. The drop down list Products contains products in the database for a given object. Aluminum can is an example for a product related to the object can. The Objects list contains the objects, in this case a can. Materials lists all materials that are contained in the listed products. Finally, all brands that are selling the products under the selected definition are listed in the Brands list. Another search mechanism is the *Search by category* that was built using the Google product taxonomy and can be seen on screen D. It allows to browse for products by category. Screen F shows the results for the category soda pops. Aluminum cans, glass bottles, and plastic bottles are listed.

In the next step, the user can select one entry: a product, an object, a material, or a brand. If the user selects an object, the application displays a description of the object and creative recycling tips on screen G. Recycling tips are structured in categories. If the user selects a category, then the application responds with a list of tips. The list is sorted by relevance. If

is confronted with an object that has to be recycled in a conventional way in the vicinity. In the browser variant, the participant will find his or her location in an opened Google Maps tab and additional tabs with websites about recycling. The offer of opened websites on a workstation instead of an empty browser on the mobile phone makes the comparison between browser and app variant fairer and prevents the occurrence of a bias. During the study of results, the reader should keep in mind the difference between the two settings.

During **Task2 (Environmental Impact)**, the participant is confronted with a set of objects and is asked to choose the most environmental-friendly one among them. During task execution in the browser variant, the participant can continue his or her Web browser session from Task1.

During **Task3 (Creative Recycling)**, the participant is confronted with one of the objects from Task2. For this object, the participant should search a creative way of recycling, which stands in contrast to conventional ways of recycling in Task1.

During the three tasks, the main factor is the Search for Information regarding the domain of sustainability. Every participant interacts on both levels Web browser and mobile application. Each task is related to one particular hypothesis:

- **H1:** *The mobile application supports a more efficient search for conventional ways of recycling than a common stationary Web browser.*
- **H2:** *The mobile application supports the user in judging an object's environmental impact more efficiently than a common stationary Web browser.*
- **H3:** *The mobile application supports a more efficient search for creative recycling methods than a common stationary Web browser.*

For measuring support of these hypotheses in the respective tasks, the study relies on several parameters: one measurement is time. The time a participant takes to accomplish one task is measured and allows for comparing, which kind of search method (stationary browser/mobile application) leads faster to results. Another measurement is the satisfaction of the user concerning search result and interaction comfort. The participants are asked to rank their opinion in both categories (satisfaction and comfort) on a five point Likert scale (ranging from 1 (disagree) over 3 (neutral) to 5 (fully agree)). To check a user's preference, the participant has to select the preferred search variant per task (stationary browser/mobile application). To check if the domain model and the information it provided was helpful, each participant specified the criteria taken into consideration for the decision eventually made at the end of each task.

To receive feedback on usability related aspects, a user rating in the dimensions usefulness, readability, navigation, and visualization is gathered on a 5 point Likert scale, respectively.

Questions about the preferred search mechanism (by text / by category / by image) and ideas for improvement are meant to provide the developer some feedback for further improvements.

The (potential) persuasive nature of the mobile application is tested by asking about the influence of the mobile application

on the participant's current recycling behavior: if the information offered by the mobile application would be available during decision making, would people expect a change in their behavior?

Finally, at the end of the study, an overall preference (stationary browser versus mobile application) is asked for.

B. Setup

The experiment was conducted in-lab under the supervision of one instructor. The participants sat at a table in front of a common PC workstation. On the workstation, participants filled out questionnaires and solved the tasks in the browser variant. The instructor guided through the experimental procedure, explained the tasks, and answered questions. For the mobile setting the mobile device Google Nexus S by Samsung was used. The objects during task execution contain three objects from the category soda pop beverages. It was decided to use beverages from one well-known brand, to allow a brand specific search and to avoid that an unknown product will confuse a user. As questions of the survey are answered on the workstation, it can be profited by the advantage of fast result analysis and automated time measurements during the experiment. Most of the questions were of closed nature, while in some cases open questions were asked where the participant had to fill in an answer into the text field, for example the result of each task. All questions were mandatory, except the questions for problems during execution and ideas for improvement. During operations in the browser variant, the browser's history was used to log visited pages and used search terms. During operations on the mobile phone, search terms and navigation paths were logged on server-site.

C. Procedure

The experiment was divided into three phases: In the first phase, the participant had to answer a set of questions on his or her demographical background, the experience level concerning computer, mobile phone, and Internet usage, and the knowledge about recycling. In the second phase, all participants had to solve three tasks. To solve these tasks two tools were provided: a Web browser on the workstation and a mobile phone with an application. For each task the participant had to use the Web browser in the first run and the mobile application in the second. After each run the participant had to answer a set of questions. In order to balance competition of mobile application and browser variant, in the latter one, 7 Web pages were already open in the browser's tabs once a session started. Those pages contained the same content that is integrated in the data mashup behind the mobile application. However, during task execution the participants were allowed to open new tabs and to start an own free search.

In the third phase, the study concluded with questions about the preferred search method, problems during task execution, and ideas for improvement. Additionally, it was asked if the presented mobile application could influence the participants recycling behavior, and if the mobile application would be preferred over the stationary browser.

D. Result

The study lists 22 records, 2 experts and 20 non-experts. The average participant was 26 (median) years old. In the following presentation of the results percentages are rounded to integers. 13 female (59%) and 9 male people (41%) took part. Regarding the occupation, among the participants were 2 pupils (9%), 18 students (82%), and 2 professionals (9%, one software engineer and one researcher). Areas of work are wide spread and include linguistics and translation, computer science and IT, literature and culture, business administration and economics, and education.

The technical experience level regarding the usage of stationary and moveable computers was relatively high. 22 (100%) use a computer that is connected to the Internet, 16 (73%) use a mobile phone with Internet. On the stationary computer 8 (36%) surf more than 20 hours per week and 8 (36%) less or equal than 10 hours per week. On the mobile, only 4 (25%) spent more than 10 hours per week in the internet, while 8 (50%) are only between 0 and 2 hours online. While browsing the Web on the mobile, 4 out of 16 (25%) use predominantly applications. 4 (25%) additionally search for information about products during a shopping trip.

The participants' recycling knowledge was diverse. 19 (86.36%) are recycling their trash, 13 (68%) self-motivated, and 11 (58%) through regulation (multiple selections possible). 13 (68%) consider a product's environmental impact while coming to a decision during a shopping trip. Those who do, consider all different kinds of factors, energy consumption during operation as well as production and packaging. Those who do not, do not have time, are not informed enough, or have other reasons. Additionally, 8 (36%) knew what a carbon footprint is and were able to explain it, in most cases precisely.

Task1: Browser. All participants except one (the participant was not really motivated to spend some minutes on a location search) found a location for the glass bottle. The average distance to the user location was 0.71 miles. Two locations (9%) were subtracted out, one location was a container service and the other a junk hauling service. 4 (19%) identified trash cans, 5 (24%) chose supermarkets, and 10 (48%) identified a recycling center as point of disposal. Decision criteria were distance in most cases (15 / 71%), deposit value in 4 cases (19%), the "fastest result" in 2 cases (9%), and missing information on trash cans in 1 case.

Task1: Mobile application. All participants found a location for the glass bottle. The average distance to the user location was 0.36 miles, 0.35 miles lower compared to the results from the browser search. Distance was the most frequently mentioned decision criteria. Only one participant named carbon emissions associated with the trip as a decision criterion.

The preferred search method for Task1 was the mobile application (15 votes out of 22 / 68%).

Task2: Browser. All participants except one were able to identify one product out of three (glass bottle/plastic bottle/aluminum can) as the most environmental friendly one. 12 (57%) decided for the glass bottle, 6 (29%) for the plastic bottle, and 3 (14%) for the aluminum can. The decision criteria were carbon footprint (17 / 77%), the product's composition

TABLE I. AVERAGE EXECUTION TIME IN MINUTES

	Browser	Application
Task1	8:17 min.	7:10 min.
Task2	7:09 min.	5:17 min.
Taks3	6:26 min.	5:25 min.

into materials (6 / 27%), and studies found through a search engine (1 / 5%). One participant said: "glass bottle is re-usable and I am safe from molecules from the plastic bottle entering my drink".

Task2: Mobile application. All participants were able to identify one product out of three (glass bottle/plastic bottle/aluminum can) as the most environmental friendly one. 9 (41%) decided for the glass bottle, 10 (45%) for the plastic bottle, and 3 (14%) for the aluminum can. While 43% of the participants changed their mind, 57% kept the decision from the browser variant.

The preferred search method for Task2 was the mobile application (16 votes out of 22 / 73%).

Task3: Browser. All participants except one (95%) found a creative way of recycling for the aluminum can. Several creative ways of recycling were discovered: potting plants, lanterns, aluminum boat, pen and pencil holder, build a children's telephone, tinker decorative items, sculptures, art, camping cooker, solar furnace, ashtray, money box, and so on. Asked, if the knowledge about reusing a product would influence the participant's buying decision was approved by 5 out of 21 / 24%).

Task3: Mobile application. All participants identified a creative way of recycling for the aluminum can. Additional results were a children's drum set, a candy box, a seed storage, a picture frame, gift wrapping, hooks, and film canisters. All participants except 3 (86%) found a new creative way of recycling different from the one they found in the browser variant. Knowledge about reusing the product could influence the participant's buying decision in 9 (41%) out of 22 cases, 17% more compared to the browser variant.

The preferred search method was the mobile application (14 votes out of 22 / 64 %).

Satisfaction and Comfort during the tasks is shown in Figure 8. The time measurement during the tasks resulted in the values that are presented in Table I.

The concluding questions showed that most participants preferred the traditional search mechanisms "search by text" (13 / 59%) to the "search by category" (4 / 18%) and the uncommon "search by image" (5 / 23%). In the four categories usefulness, readability, navigation, and visualization the lowest average rating received the navigation (3.27) on a scale between 1 (worst) and 5 (best). Visualization was rated with 3.36, usefulness with 4.05, and readability with 4.14. Many participants experienced problems to find information placed at the leaf level of the navigation tree although a legend with hints on the underlying content was given on the screen. Room for improvement was seen in the navigation ("too complicated", "less clicking"). One participant suggested placing favorites on the home screen. Another one suggested integrating more pictures to improve the visualization, e.g., to visualize the creative ways of recycling. Asked if the mobile



Figure 8. Satisfaction and comfort during task execution (satisfaction: 1=not satisfied, 2=satisfied in parts, 3=indifferent, 4=satisfied, 5=very satisfied; comfort: 1=not comfortable, 2=comfortable in parts, 3=indifferent, 4=comfortable, 5=very comfortable).

application could influence the participants recycling behavior, 73% responded with "yes". After all, the mobile application was mentioned as the preferred method of acquiring recycling information (15:7 / 68% : 32%).

E. Findings and Discussion

Feedback obtained in the categories navigation and visualization indicates that potential for improving the mobile application lies in the optimization of navigation concept and the presentation of content. For example, some participants had difficulties to find the content that was necessary to solve the task. Especially pieces of information on recycling locations, which is provided in bubbles on the map, for example information on carbon emissions associated with a trip from the user location to the recycling location, are hard to discover. This information lays 5 navigation steps away from the start screen and hidden behind a 4 categories menu, which is too far. Especially users not familiar with mobile applications in general became frustrated very fast, as they did not understand the mobile application's concept.

An interesting phenomenon is the development of time that was necessary to solve the tasks (cf. Table I). The first task took in average 7:10 minutes on the mobile application. For Task2 and 3 the duration lowered by about 2 minutes. This fact supports the statement of one participant who said, "after I was used to the mobile application I found it very helpful". However, since a mobile application might be installed right before a situation where its support is needed, it should be usable with little to no training. Therefore, this barrier has to be overcome. It has to be mentioned that in this experimental setting only a brief introduction to the mobile application was given. Usually, the user reads a description from the app store and may have a better understanding of the mobile application in advance. Thus, further experiments should start with an informing page about the mobile application as it is common in the big mobile application portals. Nevertheless, having a look on the average task execution times in the stationary browser and the app variant, the app variant outperforms the browser variant in all three tasks. This result underlines that, after understanding the mobile application, the participants were able to find

TABLE II. HYPOTHESE MEASUREMENTS APPLICATION VS BROWSER

	Time	Satisfaction	Comfort	Preference
H1	-1:07 min.	+0.71	+0.36	+36%
H2	-1:52 min.	+0.05	+0.53	+46%
H3	-1:01 min.	+0.45	+0.15	+28%
Avg.	-1:20 min.	+0.40	+0.35	+37%




Figure 9. Usability.

information faster using the mobile application than using the Web browser. Having a look at the level of satisfaction concerning the investigated result in Figure 8, the level of satisfaction was higher for the mobile application in all tasks. The perceived comfort during task execution was also higher when searching with the mobile application. The fact that the average distance to the identified recycling location during Task1 was about 0.35 miles lower in the app variant, while distance was the most important criterion for the participants shows that the implemented map visualization was easy to understand. These aforementioned results show that the three task-related hypotheses are supported in all categories, time, satisfaction, comfort, and user preference. Table II depicts the "delta", Measurement(Browser) - Measurement(Application), in all categories that were used to measure hypotheses support. Only some users used the uncommon search method "search by image". People with a great interest in technics found this search variant "very nice".

16 out of 22 (73%) participants reported that the mobile application could influence their recycling behavior. 15 (68%) participants reported that the mobile application is the preferred method of research for the tasks given. Both facts together support the appropriateness of the provided kind of support and indirectly of the employed domain model.

VI. USER INTERFACE IMPROVEMENTS

Since the usability dimensions visualization and navigation performed not so well in the case study (cf. Figure 9), a revised version of the user interface (UI) is provided in Figure 10. The design was inspired by the Google Play Store. In the figure, only the most relevant screens are presented. The remaining screens are designed using the same style. Welcome screen and the three search methods (search by text, search by image,



Figure 10. Revision of the user interface based on feedback obtained in the experiment and on metaphors from state-of-the-art mobile applications.

search by category) are left out. They all lead to the new screen I. On screen I, the categories Products, Materials, and Brands are visualized by colors to allow a better orientation. The category Objects was removed because many users in the case study did not understand the concept of abstract objects, which lead to confusion by many participants. The text search field is embedded in the bar on top of the screen (a loupe indicates the search function) to allow an edit. It enables initiating a new search at any time, which directs back to screen I. When a product is selected (in the figure an aluminum can) a screen with four different tabs is presented (screens II–V). Some participants were confused by organization of information behind the categories Products, Materials, and Brands. For them, it was not intuitive that an Object leads to recycling tips and a product to recycling locations, for instance. The new interface addresses this issue with a display of all search categories for each category. The first two tabs, description and impact, contain a short textual description of the selected object and its environmental impact. The tab Creative Recycling contains a list of recycling tips. New are the pictures that visualize the tips and a five star user rating that allows users to rate a recycling tip and to see how other users rated it. The tab Recycling Locations contains a list of recycling locations nearby. Deposit value to receive, distance to the location, and estimated carbon emissions associated with the trip to this location by public transportation and by car are presented for each list entry. This information was hard to find on the old UI, as it was hidden in the bubbles on the map visualization. Now, the user has the possibility switch between list and map view (screens IV and V). Compared to the UI in Figure 7, the depth of the navigation tree was reduced by one, which can be ascribed to the fact that the user now simply switches between list and map view of recycling locations.

VII. CONCLUSION AND FUTURE WORK

Sustainable behavior requires people to take a considerable amount of diverse information from distributed sources into account for decision making. This article reported on a domain model for a mobile mashup, which integrates such sources automatically. In order to gain feedback concerning the appropriateness of model and system architecture, a case study was conducted. In an experimental setup, participants

had to perform recycling-related tasks with a mobile application implementing the mobile mashup approach, and with a browser-based solution on a desktop PC providing similar, but non-integrated features. Findings include that participants were able to find faster more accurate results when using the mobile application. Beyond, they were more satisfied with the mobile application's results and with the way of interaction provided by the mobile application.

Thus, the mobile mashup concept turned out to be of value for supporting people in making recycling-related decisions. However, this conclusion is limited in some ways. For instance, the user group shares certain demographic aspects, and the experiment did not involve true real-world interaction, where time pressure, interruption, and cognitive load might influence the results. Consequently, potential directions of future research should include a revision of the proposed interaction method in order to support new users in getting familiar with the mobile application. Furthermore, positive feedback obtained during the experiment indicates that persuasive techniques might combine well with the mobile application concept. A context model could help to involve more user related constraints during decision support.

ACKNOWLEDGMENT

This research was funded in part by the German Federal Ministry of Education and Research under grant number 01IA11001 (project RES-COM). The responsibility for this publication lies with the authors.

REFERENCES

- [1] S. Knoch and A. Kröner, "Enabling mobile access to distributed recycling knowledge," in *The Seventh International Conference on Mobile Ubiquitous Computing, Systems, Services and Technologies, UBIComm '13*, W. Narzt and A. Gordon-Ross, Eds. IARIA, Sept. 2013, pp. 30–37.
- [2] A. Schiffeitner, T. Bley, R. Schneider, and D. Wimpff, "Stakeholder perspectives on business model requirements for a sustainability data exchange platform across supply chains," in *Electronics Goes Green 2012+ (EGG)*, Sept. 2012, pp. 1–5.
- [3] WORLD Environmental Organization, "Recycling database reduce, reuse, recycle," July 2013. [Online]. Available: <http://www.world.org/weo/recycle>

- [4] S. Burn and S. Oskamp, "Increasing community recycling with persuasive communication and public commitment," *Journal of Applied Social Psychology*, vol. 16, no. 1, Feb. 1986, pp. 29–41.
- [5] E. M. Huang and K. N. Truong, "Sustainably ours: Situated sustainability for mobile phones," *ACM Interactions*, vol. 15, no. 2, Mar. 2008, pp. 16–19.
- [6] V. Margolin, "The waste manifesto," *ACM Interactions*, vol. 16, no. 4, Nov. 2009, pp. 12–15.
- [7] Lennox Industries, "Lennox," June 2013. [Online]. Available: <https://play.google.com/store/apps/details?id=com.lennox.len>
- [8] This Is Green, Inc., "This is green," June 2013. [Online]. Available: <https://itunes.apple.com/us/app/this-is-green/id337495391>
- [9] Adbrownies Advertising Ltd., "Low carbon life," June 2013. [Online]. Available: <http://www.appleapp.com/low-carbon-life.html>
- [10] SampathG, "Green footprint calculator," June 2013. [Online]. Available: <https://play.google.com/store/apps/details?id=com.virdea.mobile.android.carbonfp>
- [11] M. Barton, "MeterRead," June 2013. [Online]. Available: <http://www.macworld.com/product/71548/meterread-sale-gogreen-save-money-save-earth-.html>
- [12] PowerTutor.org, "PowerTutor," June 2013. [Online]. Available: <https://play.google.com/store/apps/details?id=edu.umich.PowerTutor>
- [13] The Apple Seed Store, "Green gas saver 1.0," June 2013. [Online]. Available: <http://iphone-apps.toptenreviews.com/green/3015-green-gassaver-screenshot4.html>
- [14] GSH Group, "GSH ienergy," June 2013. [Online]. Available: <https://itunes.apple.com/en/app/gsh-ienergy/id377909195>
- [15] GreenWave Reality, Inc., "DONG energy eFlex," June 2013. [Online]. Available: <http://dong-energy-eflex.topapp.net>
- [16] S. Bechhofer, F. van Harmelen, J. Hendler, I. Horrocks, D. L. McGuinness, P. F. Patel-Schneider, and L. A. Stein, "OWL web ontology language," Dec. 2013. [Online]. Available: <http://www.w3.org/TR/owl-ref/>
- [17] S. Rachuri, Y.-h. Han, S. Foufou, S. C. Feng, U. Roy, F. Wang, R. D. Sriram, and K. W. Lyons, "A model for capturing product assembly information," *Journal of Computing and Information Science in Engineering*, vol. 6, Mar. 2006, pp. 11–21.
- [18] S. Fennes, S. Foufou, C. Bock, and R. Sriram, "CPM2: a core model for product data," *Journal of Computing and Information Science in Engineering*, vol. 8, no. 1, 2008, p. 014501.
- [19] H. J. Pels, "Classification hierarchies for product data modelling," *Production Planning & Control*, vol. 17, no. 4, 2006, pp. 367–377.
- [20] J. H. Lee, S. J. Fennes, C. Bock, H.-W. Suh, S. Rachuri, X. Fiorentini, and R. D. Sriram, "A semantic product modeling framework and its application to behavior evaluation," *IEEE Transactions on Automation Science and Engineering*, vol. 9, no. 1, 2011.
- [21] G. A. Miller, "WordNet: a lexical database for english," *Communications of the ACM*, vol. 38, no. 11, 1995, pp. 39–41.
- [22] D. Merrill, "Mashups: The new breed of web app," in *developerWorks*. IBM Corporation, July 2009.
- [23] E. Maximilien, "Mobile mashups: Thoughts, directions, and challenges," in *IEEE International Conference on Semantic Computing, ICSC '08*, Aug. 2008, pp. 597–600.
- [24] K. Xu, X. Zhang, M. Song, and J. Song, "Mobile mashup: Architecture, challenges and suggestions," in *International Conference on Management and Service Science, MASS '09*, Sept. 2009, pp. 1–4.
- [25] S. Knoch and A. Kröner, "A mashup supporting sustainable decision making," in *9th International Conference on Intelligent Environments, IE '13*, 2013, pp. 274–277.
- [26] Macroglossa, "Macroglossa," Feb. 2014. [Online]. Available: <http://www.macroglossa.com>
- [27] S. Germesin and M. Romanelli, "terkait: semantic interactions with web content," in *8th International Conference on Semantic Systems, I-SEMANTICS '12*, V. Presutti and H. S. Pinto, Eds. ACM, 2012, pp. 169–172.