

Table of Contents

Exploring Latent Concepts in SHAP Values -A New Approach Using Singular Value Decomposition - <i>Yukari Shirota and Tamaki Sakura</i>	1
Route Planning in Wildfire Areas by Integrating a Modified A* Algorithm with Deep Learning <i>Manavjit Singh Dhindsa, Kshirasagar Naik, Pin-Han Ho, Marzia Zaman, Chung-Horng Lung, and Srinivas Sampalli</i>	7
Time-Series Topic Analysis of Large-Scale Social Media Data using Two-stage Clustering <i>Takako Hashimoto</i>	13
Evaluating the Potential of SHAP-Based Feature Selection for Improving Performance <i>Ashis Kumar Mandal and Basabi Chakraborty</i>	19
Visualizing Proximity of Audio Signals from Different Musical Instruments - A Two Step Approach <i>Goutam Chakraborty, Cedric Bornand, Lokesh Reddy, Subhash Molaka, Pawan Reddy, and Lakshman Patti</i>	25
Privacy-preserving Data Sharing Collaborations: Architectural Solutions and Trade-off Analysis <i>Michiel Willocx, Vincent Reniers, Dimitri Van Landuyt, Bert Lagaisse, Wouter Joosen,, and Vincent Naessens</i>	32
Towards Extracting Entity Relationship Diagrams from Unstructured Text using Natural Language Processing <i>Vaihunthan Vyrarnuthu and Gregor Grambow</i>	42
Evolving the Automated Search for Clusters of Similar Trajectory Groups <i>Friedemann Schwenkreis</i>	48
On the Performance of Query Optimization Without Cost Functions and Very Simple Cardinality Estimation <i>Daniel Flachs and Guido Moerkotte</i>	58
An Enhanced Semantic Framework for Time-Constrained Clinical Decision-Making in Emergency Settings <i>Sivan Albagli-Kim and Dizza Beimel</i>	65
A Low-Code Approach for Creating Dynamic Map-Based Web Applications Using W3C Web Components <i>Andreas Schmidt and Tobias Munch</i>	72
Decentralized Browser-based Cloud Storage: Leveraging IPFS for Enhanced Privacy <i>Georg Eilnberger, Timea Pahi, and Peter Kieseberg</i>	75